DEPARTMENT OF TRANSPORTATION

Research and Special Programs Administration

[Docket No. RSPA-98-4957; Notice 19]

Pipeline Safety: Revision of Natural Gas Transmission and Gathering Pipeline Incident and Annual Report Forms

AGENCY: Research and Special Programs Administration (RSPA), DOT.

ACTION: Notice and request for comments on revision of Information Collection OMB 2137-0522.

SUMMARY: As required by the Paperwork Reduction Act of 1995, the Research and Special Programs Administration (RSPA) is publishing its intention to revise forms RSPA F 7100.2—Incident Report For Gas Transmission and Gathering Systems and RSPA F 7100.2—1—Annual Report For Gas Transmission and Gathering Systems. The purpose of this notice is to allow the public 60 days from the date of this notice to comment on the proposed changes in the forms and the information collection burden.

DATES: Comments on this notice must be received on or before October 2, 2000.

FOR FURTHER INFORMATION CONTACT: Roger Little by telephone at 202–366-4569, by fax at 202–366–4566, by mail at U.S. Department of Transportation, RSPA, 400 Seventh Street, SW, Room 7128, Washington, DC, 20590, or by email to roger.little@rspa.dot.gov.

ADDRESSES: Copies of this proposed information collection and the revised forms, RSPA F 7100.2—Incident Report for Gas Transmission and Gathering Systems and RSPA F 7100.2—1—Annual

Report for Gas Transmission and Gathering Systems, can be reviewed in this docket at http://dms.dot.gov.

Address all comments concerning this notice to the Dockets Facility, U.S. Department of Transportation, Plaza 401, 400 Seventh Street, SW, Washington, DC 20590-0001. You may submit written comments by mail or delivery to the Dockets Facility, U.S. Department of Transportation, Room PL-401, 400 Seventh Street, SW, Washington, DC 20590-0001. The Dockets facility is open from 10:00 a.m. to 5:00 p.m., Monday through Friday, except federal holidays. Comments should identify the docket number of this notice, RSPA-98-4957. You should submit the original and one copy. If you wish to receive confirmation of receipt of your comments, you must include a stamped, self-addressed postcard.

Electronic Access and Filing Addresses

You may also submit or review comments electronically by accessing the Docket Management System's home page at http://dms.dot.gov. Click on

"Help & Information" for instructions on how to file a document electronically. All written comments should identify the docket and notice numbers stated in the heading of this notice. Anyone desiring confirmation of mailed comments must include a self-addressed stamped postcard.

SUPPLEMENTARY INFORMATION:

Background

The information collected pertaining to reportable natural gas transmission incidents provide an important tool for identifying safety trends in the gas pipeline industry. The National Transportation Safety Board (NTSB), the Department of Transportation's Office of Inspector General, and the General Accounting Office have urged RSPA to revise the information collected on the natural gas transmission pipeline incident report form and annual report form. NTSB Safety Recommendation P—96—1 urges RSPA to:

develop within 1 year and implement within 2 years a comprehensive plan for the collection and use of gas and hazardous liquid pipeline accident data that details the type and extent of data to be collected, to provide the Research and Special Programs Administration with the capability to perform methodologically sound accident trend analyses and evaluations of pipeline operator performance using normalized accident data.

RSPA worked with representatives of the Interstate Natural Gas Association of America (INGAA) and the American Gas Association (AGA) to revise the natural gas transmission incident and annual report forms to make the information collected more useful to industry, government, and the public.

Abstract: To ensure adequate public protection from exposure to potential natural gas transmission pipeline failures, RSPA collects information on reportable transmission pipeline incidents. Additional information is also obtained concerning the characteristics of an operator's pipeline system. This information is needed for normalizing the incident information in order to provide for adequate safety trending. The requirements for reporting incidents are found in 49 CFR Part 191. The regulations require submission of the natural gas transmission annual report form by March 15 of each year for the preceding year's operations. Reports on transmission incidents must be submitted to RSPA in writing within 30 days of occurrence.

The reports to be revised are two of the four gas pipeline reporting forms authorized by Information Collection OMB 2137–0522, "Incident and Annual Reports for Gas Operators." The proposed revisions are part of an ongoing process to revise all incident and annual reports.

Title: Incident Report for Gas Transmission and Gathering Systems (RSPA F 7100.1–1) and Annual Report For Gas Transmission and Gathering Systems (RSPA F 7100.2–1).

OMB Number: 2137–0522.
Estimate of Burden: The average burden hours per response is approximately 6 hours for the revised transmission incident report and 3 hours for the revised transmission annual report.

Respondents: Gas transmission pipeline operators.

Estimated Number of Respondents: 900 gas transmission pipeline operators.

Estimated Number of Responses per Respondent per Year: Incident Reports: 0.1; Annual Reports: 1.0.

Estimated Total Annual Burden on Respondents: The burden for each gas transmission pipeline operator is an average of 6 hours per incident report form and 3 hours per annual report form. For all 900 gas transmission pipeline operators the burden estimate is 540 hours (6 hours x 900 operators x 0.1 incidents) for incidents and 2,700 hours (3 hours x 900 operators) for annual reports, for a total burden of 3,240 hours per annum.

Comments are invited on: (a) The need for the proposed collection of information for the proper performance of the functions of the agency, including whether the information will have practical utility; (b) the accuracy of the agency's estimate of the burden of the proposed collection of information including the validity of the methodology and assumptions used; (c) ways to enhance the quality, utility and clarity of the information to be collected; and (d) ways to minimize the burden of the collection of information on those who are to respond, including the use of appropriate automated. electronic, mechanical, or other technological collection techniques.

Issued in Washington, D.C. on July 27, 2000.

Stacey L. Gerard,

Acting Associate Administrator for Pipeline Safety.

[FR Doc. 00–19481 Filed 8–1–00; 8:45 am] BILLING CODE 4910–60–P

Notice: This report is required by 49 CFR Part 191. Failure to report can result in a civil penalty not to exceed \$1,000 for each violation for each day that such violation persists except that the maximum civil penalty shall not exceed \$200,000 as provided in 49 USC 1678.

Form Approved OMB No. 2137-0522

3	oracion poroloc	э слосрі п	at the maximum	CIVII PORAIL	Shall not excee	α \$200,000 as	provided in	49 030 1078.	OMB N	5. 2137-0522			
U.S. Department of Transpor Research and Special Progr Administration			NUAL REPO S TRANSM					INITIAL REI SUPPLEME	PORT ENTAL REPO	PRT 🗆			
PART A - OPERATO	R INFORMA	TION			DOT USE	ONLY							
1. NAME AND COM	PANY OR E	STABLIS	SHMENT		4. OPER	ATOR'S 5 D	IGIT IDEN	TIFICATION	NUMBER				
					(Wher	Known) <u>[</u>		1 1 1					
2. LOCATION OF OR MAY BE OBTAINED		RE ADD	ITIONAL INFO	RMATION	N 5. HEAD	QUARTERS	NAME &	ADDRESS, IF	DIFFERE	NT			
Number & St	reet					Number & St	reet		H				
City & County	City & County						City & County State & Zip Code						
State & Zip C	ode					State & Zip C	ode						
3. STATE IN WHICH	SYSTEM C	PERATI	ES: <u>/ /</u>	/ (provi	de a separate	report for e	ach state ir)			
PART B - SYSTEM D	ESCRIPTIC	N	Report mil	es of pipelin	e in system at e	nd of year.							
1. GENERAL - MILE			THE SYSTEM	AT END (YEAR THA	TADE 1110	ISDICTION	IAL TO ODE					
. OCIVEIVIE IVILE	0 01 1 11 21		STEEL	AT LIND	ZI TEAR THE	II AILL JUIL		AL TO OFS					
	CATHO		UNPRO	TECTED		IRON	DI AS	TIC PIPE	OTHE	R PIPE			
		ECTED				T IRON PIPE	100	IIC FIFE	OTHE	KPIPE			
TRANSMISSION	BARE	COATE	D BARE	COATE)								
ONSHORE													
OFFSHORE				1									
GATHERING													
ONSHORE OFFSHORE				ļ			ļ						
				<u> </u>									
2. MILES OF PIPE B	Y NOMINAL	SIZE				1 27755							
	UNKNO	WN	4" OR LESS		OVER 4" THRU 10"	OVER THRU		OVER 20"		OVER			
TRANSMISSION ONSHORE			LESS		INO IO	Inko	20	THRU 28"		28"			
OFFSHORE													
GATHERING													
ONSHORE OFFSHORE						ļ							
SYSTEM TOTALS													
3. MILES OF PIPE B	V DECADE	OF INCI	FALLATION			L	<u></u>						
3. MILES OF PIPE B	UN- KNOWN	PRE 1940	- 1940-	1950- 1959	1960- 1969	1970- 1979	1980- 1989	1990- 1999	2000- 2009	TOTAL			
TRANSMISSION	INICOVII	1340	1343	1333	1303	1373	1909	1999	2009				
ONSHORE						<u> </u>							
OFFSHORE				ļ									
GATHERING													
ONSHORE OFFSHORE							<u> </u>	-					
SYSTEM TOTALS													
4. MILES OF PIPE B	Y CLASS LO	CATIO	<u> </u>		<u> </u>		•						
WILLO OF THE D	CLA			NSS 2	CLA	SS 3	CL	ASS 4	TO	TAL			
TRANSMISSION			1										
ONSHORE							ļ						
OFFSHORE			<u> </u>	1/A	N	/A	<u> </u>	N/A	N	/A			
GATHERING ONSHORE							1						
OFFSHORE	 			I/A	<u> </u>	I/A	ļ	N/A	N	/A			
SYSTEM TOTALS	†						-	<u> '</u>					

Draft Form RSPA F 7100.2-1 (3-00) (Supersedes DOT F 7100.2-1) Continue on Reverse Side

PART C – TOTAL LEAKS ELIMINATED/REPAIRED DURING YEAR					PART D - TOTAL NUMBER OF LEAKS ON FEDERAL LAND OR OCS REPAIRED OR SCHEDULED FOR REPAIR		
CAUSE OF LEAK	TRANSMISSION GATHERING		т	4. TRANSMISSION			
OFLEAK	ONSHORE	OFFSHORE	ONSHORE	OFFSHORE	1. TRANSMISSION		
CORROSION					ONSHORE		
NATURAL FORCES					OFFSHORE		
ENCROACH- MENTS and PREV DAM. PIPE					OUTER CONTINENTAL SHELF		
MATERIAL AND WELDS					2. GATHERING		
EQUIPMENT					ONSHORE		
INCORRECT OPERATION					OFFSHORE		
OTHER					OUTER CONTINENTAL SHELF		
		NOWN SYSTE		END OF			
1. TRANSM	ISSION				,		
2. GATHER	ING						
PART F - PF	REPARER AN	D AUTHORIZE	D SIGNATUR	₹ E	ATL		
					4/1/		
(type or print) i	Preparer's Name	and Title			Area Code and Telephone Number		
Preparer's E-m	nail Address				Area Code and Facsimile Number		
Authorized Sig	nature		(type	or print) Name a	and Title Date Area Code and Telephone Number		

Draft Form RSPA F 7100.2-1 (3-00) (Supersedes DOT F 7100.2-1) NOTICE: This report is required by 49 CFR Part 191. Failure to report can result in a civil penalty not to exceed \$1,000 for each violation for each day that such violation persists except that the maximum civil penalty shall not exceed \$200,000 as provided in 49 USC 1678.

Form Approved OMB No. 2137-0522

INCIDENT REPORT - GAS TRANSMISSION AND GATHERING SYSTEMS

Report Date	
No.	
(DOT Use Only)	

INS	TRI	ICTIO	NS

Important: Please read the separate instructions for completing this form before you begin. They clarify the information requested and provide specific examples. If you do not have a copy of the instructions, you can obtain one from the Office Of Pipeline Safety Web Page at http://ops.dot.gov.

PART A – GENERAL REPORT INFORMATION Che	others			
Che	eck one: Original Report Supplemental Report			
a. Operator's 5-digit Identification Number / / / / / b. Name of Operator	cCity, County, State and Zip Code			
d. If Operator does not own the pipeline, enter Owner's 5-digit Ide				
Time and date of the incident \(\begin{array}{c ccc} \frac{I}{I} & I & I & I & I & I & I & I & I & I &	5. Consequences (check and complete all that apply) a. Fatality Total number of people: Employees: I I General Public: Non-employee Contractors: I I I I I I I I I I			
a City and County	 b. ☐ Injury requiring inpatient hospitalization Total number of people: / / / / 			
b	Employees: I I I General Public: I I I			
State and Zip Code	Non-employee Contractors:			
c. Mile Post/Valve Station d. Survey Station No	c. Property damage/loss (estimated) Total \$			
e. Latitude: Longitude: (if available)	Gas loss \$ Operator damage \$			
f. Class location description	Public/private property damage \$			
Onshore: Class 1 Class 2 Class 3 Class 4	d. ☐ Release Occurred in a 'High Consequence Area'			
Offshore: ☐ Class 1 (complete rest of this item)	e. ☐ Gas ignited f. ☐ Explosion			
Area Block #	g. Beacuation (general public only) 1 1 1 1 people			
State / <u>/</u> or Outer Continental Shelf ☐ g. Incident on Federal Land other than Outer Continental Shelf ☐ Yes ☐ No	Reason for Evacuation: O Emergency worker or public official ordered, precautionary O Threat to the public O Company policy			
Type of leak or rupture	6. Elapsed time until area was made safe:			
□ None □ Other	<u>/ / /</u> hr. <u>/ / /</u> min.			
Leak:	7. Telephone Report			
☐ Pinhole ☐ Connection Failure (complete sec. F4)	/ / / / / / / / / / / / / / / / / / /			
☐ Puncture, diameter (inches)	8. a. Estimated pressure at point and time of incident:			
Rupture:	PSIG			
☐ Circumferential – Separation	b. Max. allowable operating pressure (MAOP):PSIG			
☐ Longitudinal – Tear/Crack, length (inches) Propagation Length, total, both sides (feet)	c. MAOP established by 49 CFR section: ☐ 192.619 (a)(1) ☐ 192.619 (a)(2) ☐ 192.619 (a)(3) ☐ 192.619 (a)(4) ☐ 192.619 (c)			
PART B - PREPARER AND AUTHORIZED SIGNATURE	44			
No. of The	Ann Code and Talantana Musela			
(type or print) Preparer's Name and Title	Area Code and Telephone Number			
Preparer's E-mail Address	Area Code and Telephone Number Area Code and Facsimile Number			
Authorized Signature (type or print) Name a	and Title Date Area Code and Telephone Number			

Draft Form RSPA F 7100.2 (3-00)

Page 1 of 3

PART C - ORIGIN OF THE INCIDENT							
☐ Transmission System ☐ Gathering System ☐ Transmission Line of Distribution System	B. Material involved (pipe, fitting, or other component) ☐ Steel ☐ Plastic ☐ Other (specify)						
•	4. Part of system involved in incident						
2. Failure occurred on ☐ Body of pipe ☐ Pipe Seam	☐ Pipeline ☐ Regulator/Metering System						
☐ Body of pipe ☐ Pipe Seam ☐ Other	☐ Compressor Station ☐ Other						
☐ Component specify:	Year the component which failed was installed: //_/_/						
PART D - MATERIAL SPECIFICATION	PART E - ENVIRONMENT						
1. Nominal pipe size (NPS) <u>/ / / / /</u> in.	1. Area of incident						
2. Wall thickness / / / / / in.	☐ Under pavement ☐ Above ground						
3. Specification SMYS / / / / / /	☐ Under ground ☐ Under water						
	Other Inside/under building						
4. Seam type	2. Depth of cover: inches						
5. Valve type							
6. Manufactured by	in year <u>/ / / / /</u>						
	the left of the cause of the incident. There are 25 numbered causes in						
PART F – APPARENT CAUSE this section. Complete all the supplemental items to the right of or below the cause you indicate. See the instructions for this form for guidance.							
F1 - CORROSION a. Pipe Coating b. Visual Exam							
1. External Corrosion O Bare O Localize	- · · · · · · · · · · · · · · · · · · ·						
O Coated O Genera							
	O Other						
	ered to be under cathodic protection prior to discovering incident?						
	n Started: <u>/ / / / /</u>						
e. Was pipe previously damaged in the	1						
O No O Yes, How long prior	to incident: / / / / years / / / months						
3. Stress Corrosion Cracking							
F2 - OUTSIDE FORCE DAMAGE							
4. Previously Damaged Pipe							
Natural Forces							
5. ☐ Earth Movement ⇒ O Earthquake O Subsidence O Landslide O Other							
6. Lightning							
7. ☐ Heavy Rains/Floods ⇒ O Washouts O Flotation	O Mudslide O Scouring O Other						
	O Middshae O Scouring O Other						
8. Fire/Explosion							
9. ☐ Temperature ⇒ O Thermal stress O Frost he	ave O Frozen components O Other						
10. High Winds	44						
Encroachments	<u>u</u>						
11. U Vandalism	.atl						
<u></u>	417)						
12. Operator (including their contractors)	praft						
13. Third Party (complete a-d)							
a. Excavator group							
O General Public O Government O Professional Excavator O Operator/subcontractor							
b. Type: O Road Work O Pipeline O Water O Electric O Sewer O Phone/Cable O Landowner O Railroad O Other							
c. Did operator get prior notification of excavation activity? O Yes Date received: / / / mo. /_/	/ day / / yr. O No						
Notification received from: O One Call System O							
Į.	Endiant Comment. Campaning						
d. Was pipeline marked? <i>(check all that apply)</i> Temporary markings: O Flags O Stakes O Paint Permanent markings: O							

F3 – MATERIAL AND WE	LDS					
Material						
14. D Body of Pipe	\Rightarrow	O Dent	O Gouge	O Bend	O Arc Burn	O Other
15. Component	⇒	O Valve	O Fitting	O Vessel	O Extruded Outlet	O Other
16. D Joint	\Rightarrow	O Gasket	O O-Ring	O Threads		O Other
Weld						
17. 🗖 Butt	\Rightarrow	O Pipe	O Fabrication			O Other
18. Fillet	⇒	O Branch	O Hot Tap	O Fitting	O Repair Sleeve	O Other
19. D Pipe Seam	⇒	O LF ERW	O DSAW	O Seamless	O Flash Weld	
		O HF ERW	O saw	O Spiral		O Other
Complete a-f if you in	ndica	te any cause ii	n part F3.	Û		
a. Type of failure:O Construction	n Defe	ect O Materi	al Defect			
b. Was part which	leake	d pressure tested	before incident occ	curred? O Yes, co	omplete c-f O No	
c. Date of test:	<u>/</u>	<u>/ /</u> mo. //	// day //	/ yr.		
d. Test medium:	0	Water O Natu	ral Gas O Inert	Gas O Other		
e. Time held at te	st pres	ssure: <u>/ /</u>	<u>/</u> hr.			
f. Estimated test	oressu	re at point of incid	ent:		_ PSIG	
F4 - EQUIPMENT AND O		_	_	_	_	_
,		Relief Equipment		O Instrumentation	O Pressure Regulator	
21. L Threads Stripped,	Broke	en Pipe Coupling	⇒ O Nipples	O Valve Threads	O Dresser Couplings	O Other
22. L Seal Failure			⇒ O Gasket	O O-Ring	O Seal/Pump Packing	O Other
23. Incorrect Operation a. Type: O Inadequate Procedures O Inadequate Safety Practices O Failure to Follow Procedures O Other b. Number of employees involved who failed post-incident drug test: ///						
c. Were most ser	ior en	nployee(s) involved	d qualified?	O Yes O No	d.	Hours on duty: //
F5 – OTHER						
	scribe	:				,,,,
25. Unknown						
O Investigation Complete O Still Under Investigation (submit a supplemental report when investigation is complete) PART G – NARRATIVE DESCRIPTION OF FACTORS CONTRIBUTING TO THE EVENT (Attach additional sheets as necessary)						
praft						